



Prepn. of (pyrimid-2-yl-thio- or seleno-) acetic acid derivs. - by reacting the corresp. chloro:alkanoyl-amino cpd. with a rhodanide and water or an alcohol

Patent number: DE4119767
Publication date: 1992-12-17
Inventor: GEWALD KARL PROF DR (DE); SCHAEFER HARRY DR SC NAT (DE); JESCHKE TÖRSTEN DIPL CHEM (DE); ECKERT KATRIN DIPL CHEM (DE); FAUST GOTTFRIED DR (DE); LABAN GUNTER DR (DE)
Applicant: DRESDEN ARZNEIMITTEL (DE)
Classification:
- International: C07D239/88; C07D239/94; C07D471/04; C07D487/04; C07D495/04; C07D513/04
- European: C07D239/95; C07D487/04; C07D495/04; C07D513/04
Application number: DE19914119767 19910615
Priority number(s): DE19914119767 19910615

Abstract of DE4119767

Prepn. of (pyrimid-2-ylthio or seleno-)ethanoic acid derivs. of formula (I) comprises reacting a cpd. of formula (II) with a cpd. of formula MXCN (III) and with a cpd. of formula HR₂ (IV) with heating. In formulae, R₁ is amino or OH; R₂ is OH or 1-4C alkoxy; X is S or Se; A is a substd. aromatic ring condensed in the 4,5-position of the pyrimidine ring and opt. mono- or di-substd. with NO₂, halo, Me or MeO, or A is a 5-7 membered heterocyclic ring, condensed in the 4,5-position of the pyrimidine ring and opt. mono- or di-substd. with Me, methylamino, dimethylamino, MeS, ethanoyl, allyl, 1-4C alkoxy carbonyl tetramethylene, Ph, anilino or anilino carbonyl, (these last 3 gps. are opt. substd. with halogen and/or MeO); Y is nitrile or 1-4C alkoxy carbonyl; Hal is halo, pref. Cl or Br; and M is NH₄, Na or K. USE/ADVANTAGE - (I) are intermediates in organic syntheses, e.g., in the prepn. of pharmaceuticals. Some (I) are themselves pharmaceuticals.



III



IV

Data supplied from the **esp@cenet** database - Worldwide